

In beta lactamase resistant infections...

when enhanced antibacterial activity & larger zone of inhibition is required



Also available

AMOXIB-CV-625 LB Tablets
Amoxicillin 500mg+Potassium Clavulanate 125mg
with Lactic Acid Bacillus 60 Million Spores

AMOXIB-CV 228.5 Dry syrup
Amoxiciline 200mg+clavulanic 28.5mg

AMOXIB-CV 457 Dry syrup
Amoxiciline 200mg+clavulanic 457 Mg

^{Rx} **AMOXIB-CV-625** Tablets Amoxicillin 500mg +potassium Clavulanate 125mg

Super-max quality assurance..

COMBINATION THAT EXCELS AGAINST INFECTIONS

AMOXYCILLIN

- Broad-spectrum semisynthetic antibiotic
- More GI acid stable than other penicillins

POTASSIUM CLAVULANATE

- Irreversibly inhibits B-lactamase enzyme thus Making bacteria vulnerable amoxicillin

Indication:

ENT infections

SSTI

Dental infections

UTI

The combination that assures victory against infections

^{Rx} SABTIL-CV Tablets

Cefpodoxime Proxetil 200 mg+Potassium Clavulanate 125mg

A Winning Combination to Overcome Tough Infection

Cefpodoxime

...with a broad spectrum of activity against Gram +ve & Gram -ve bacteria. Superior target tissue penetration concentrations. Provides better clinical efficacy.

Clavulanic acid

- A semi-synthetic beta-lactamase inhibitor used to enhance antibacterial effects of beta-lactam antibiotics
- Maintains therapeutic serum concentrations for longer period

Also available

^{Rx} SABTIL - 50/100
Each 5 ML Contains: Cefpodoxime 50/100 mg Dry syrup

^{Rx} SABTIL - 200
Cefpodoxime Proxetil 200 mg Tablets



Upper & Lower RTI

Post-surgical prophylaxis

Skin & skin structure infections

Gynecological infections

Typhoid fever

Urinary tract infections

1. Wise R. J Antimicrob Chemother. 1991;27(Suppl C):45-52.

2. Neu HC. Eur J Clin Microbiol Infect Dis. 1991;10(3):242-247.



POWER TO DECIMATE **TOUGH INFECTIONS**

ROXYTIL-²⁵⁰/₅₀₀ TABLETS

Cefuroxime axetil 250/500 mg

Management of Infections... Made easy

Addition

Provides the convenience of a broad spectrum

Active against a wide range of gram positive & gram negative organisms

Superior cure rates compared to co-amoxiclav in chronic bronchitis

Penetrates adequately & uniformly into chronically inflamed sinus mucosa

Safe and effective treatment with 94.3% success rate in the treatment of upper respiratory tract infections¹

A valuable therapy for the treatment of UTIs particularly when due to beta-lactamase producing bacteria²

Also available
ROXYTIL *Dry syrup*
cefuroxime axetil 125 mg

- UPPER & LOWER RTI** **BACTERIAL MENINGITIS**
- URINARY TRACT INFECTIONS** **BONE & JOINT INFECTIONS**
- SKIN & SOFT TISSUE INFECTIONS**
- GYNAECOLOGICAL INFECTIONS**

1. Rev Laryngol Otol Rhinol (Bord). 1989;110(1):123-6

2. J Antimicrob Chemother 1989 Feb;23(2):267-73

**Break the resistance
of tough infection.**

CEVIX-200 LB *Tablets*

Cefixime 200mg & Lactic acid bacillus Dispersible

When Infections Are Dominating...

Cefixime
A broad spectrum oral antibiotic.
Extensively used in clinical practice due to its efficacy and also safety.

Pharmacology: There is no drug interaction with Azithromycin.
Broad spectrum - strong on gram +ve, -ve and atypical organisms.

- Faster onset of action within 2-3 hrs of first dose.
- No dosage adjustment in renally or hepatically impaired.

Lactic Acid Bacillus

- Prevents drug induced diarrhoea and maintains GI flora.

Indication

Mixed GIT Infections

Urinary Tract Infections

ENT Infections

Also available

CEVIX-200 DT

Cefixime 200 mg Tablets

CEVIX-50

Cefixime 50 mg Dry Syrup

CEVIX-100

Cefixime 100 mg Dry Syrup

Addition

ALLⁱⁿONE
FORMULA
FOR COMPREHENSIVE TREATMENT OF
LIVER

addressing conditions such as infection,
fatty liver, enlargement, alcoholic damage, degeneration,
and more...

Let the liver live a long life with-

URSOSAB- $\frac{150}{300}$ *Tablets*

Ursodeoxycholic acid 150/300 mg

Checkmate the Cholestatic Liver Disorders

Improves biliary enzyme markers of cholestasis & reduces
hepatic cell damage¹

First line of treatment for ICP, improves both maternal & fetal
outcomes³

Prevents the development of chronic hepatitis B by enhancing
clearance of hepatitis B virus²

Reduces transaminase levels in patients with chronic hepatitis¹

Indication

BILIARY SLUDGE | **NONCALCIFIED GALLBLADDER STONES**

HEPATIC CHOLESTASIS | **CHOLESTATIC LIVER DISEASES**

ALCOHOLIC LIVER DISEASE | **NON-ALCOHOLIC STEATOHEPATITIS**

1. Gut 1991; 32: 1061-1065

2. Post Grad Med J 1997; 73: 75-80

3. American Journal of Perinatology 2014; 31(1)

When

Fighting Against Resistant Pathogens Becomes a Tough Task

R_x
AZIVELL- $\frac{250}{500}$ TABLETS
Azithromycin 250/500 mg

FOR HIGHER EFFICACY & EARLY RECOVERY

Highly effective against gram +ve, gram -ve and a typical pathogens

Excellent penetration in various body tissues and macrophages ¹

Long half-life and sustained tissue concentrations ensures once-daily dosing & shorter-course therapy

Stable in acidic medium when compared to erythromycin ²

IN

Chronic bronchitis

Cystic fibrosis

Cholera

Typhoid fever

Community acquired pneumonia

Traveller's diarrhea

Respiratory infections



1. Antimicrob Agents Chemother. 2013 Apr; 57(4): 1736-1742.

2. Aust Prescr. 2015 Jun; 38(3): 87-89

Enteric Coated

Resistant to gastric acidic fluid

60-80% intestinal absorption



Non-Coated

Acidic stomach destroys 80% of placenta ingredients

20% available for absorption in intestine

Rx

TRYSAB-AP TABLETS

Aceclofenac I.P. 100 mg + Paracetamol I.P. 325 mg + Trypsin Chymotrypsin 1,00,000 Armour units of Enzymatic Activity (As Enteric Coated Granules)

Control the Excessive Inflammation



Addition

- Trypsin-chymotrypsin provides better resolution of inflammatory symptoms and promotes speedier recovery of acute tissue injury.²
- Trypsin-chymotrypsin is superior over all existing enzyme preparation

Aceclofenac

- Provides effective analgesia in treatment of painful inflammatory diseases

Paracetamol

- Provides balanced post-operative analgesia.

INDICATIONS

- Traumatic Wound Injury
- Fractures and Dislocation
- Post Operative Pain

Also available

Rx
TRYSAB-FORTE
(Trypsin Chymotrypsin 1,00,000 AMU) TABLETS



EXCESSIVE
INFLAMMATION
Can Retard the...
Healing Process

Also available
TRYSAB-BR
Trypsin 48 mg+Bromelain 90 mg+
Rutoside Trihydrate 100 mg TABLETS

Rx
TRYSAB-BRD TABLETS
Trypsin 48 mg+Bromelain 90 mg+Rutoside
Trihydrate 100 mg+Diclofenac 50 mg

Control inflammation on faster pace

...nsiderable evidence for efficacy to other Cox-1 and Cox-2
inhibitors. Diclofenac is able to support its position
as a preferred medication of choice of OA trials.

Addition

- Combination of Trypsin, Bromelain & Rutoside is more effective than NSAID's in the treatment of rheumatoid soft tissue disease and has lesser side effects than NSAIDs.
- Combination of Trypsin, Bromelain & Rutoside is very effective in patients with lateral ankle joint distortions.



- Post-operative wounds
- Oedema and Haematoma
- Pelvic inflammatory disease
- Tooth Extraction
- Post-traumatic Edema
- Soft-tis

**Control the Excessive
Inflammation**

In
Pain & Inflammation,
Help Your Patients in
Movement

ETORICO-TH 4 TABLETS

Etoricoxib 60 mg + Thiocolchicoside 4 mg

New generation NSAID with superior safety

Etoricoxib

- Etoricoxib OD is as effective as Diclofenac 50mg TID
- Exhibits rapid onset of action within 15 minutes and has favorable gastric safety profile compared to NSAIDs
- Possesses high selectivity for COX-2

Thiocolchicoside

- Trusted muscle relaxant with anti-inflammatory & analgesic properties
- No action on Monosynaptic & Polysynaptic reflexes, thus no sedation & does not impair muscle tone
- Preferred option for the LBP with muscle spasms

Indications:

- Ankylosing Spondylitis
- Sprain & Strain
- Chronic low back pain
- Oro-dental pain

Also available

ETORICO 60
Etoricoxib 60 mg TABLETS

ETORICO 90
Etoricoxib 90 mg TABLETS

ETORICO 120
Etoricoxib 120 mg TABLETS

ADDITION





In...

Inflammatory conditions
associated with Muscle spasm

ACPRO - Th4 TABLETS

Aceclofenac 100 mg + Thiocolchicoside 4 mg

Freedom from Pain & Inflammation

The combination of thicolchicoside and aceclofenac is more effective and safer than aceclofenac and paracetamol for treating acute low back pain.

The FDC of thicolchicoside and aceclofenac is more effective and safer compared to the FDC of chlorzoxazone, aceclofenac, and paracetamol in treating acute lower back pain with muscle spasms.

Indication


- Degenerative Vertebral Diseases
- Dorsal Discomfort
- Low Back Pain
- Torticollis

Also available

THIOSIL 4 TABLETS
Thiocolchicoside 4 mg



In
**ACUTE PAINFUL
 INFLAMMATORY**
 CONDITIONS



Also available

ACPRO-P TABLETS

Aceclofenac 100mg +Paracetamol 325mg

ACPRO-SP TABLETS

Aceclofenac 100mg +Paracetamol 325mg +Serratiopeptidase 15 mg

(As Enteric coated Granules)

Through faster repair & healing

Serratiopeptidase

- Anti-inflammatory effect superior to other Proteolytic enzymes. Besides reducing inflammation, one of Serratiopeptidase most profound benefits is reduction of pain, due to its ability to block the release of pain inducing amines from inflamed tissues.¹

Aceclofenac

- Combination is effective & well tolerated in relieving OA flare-up pain
- More effective than diclofenac in improving knee flexion after 2-4 weeks of treatment

Paracetamol

- Better safety than conventional NSAIDs with respect to adverse effects on gastrointestinal & cardiovascular system

In.

- Pain & INFLAMMATION
- Low BACK pain
- SPONDYLOSIS
- SPORTS INJURIES
- OSTEOARTHRITIS
- DENTAL INFECTIONS
- MUSCULAR CRAMPS

When Pain & Inflammation is associated with Muscular Spasms



INDICATIONS:

- Rheumatoid arthritis • Osteoarthritis
- Spondylosis • Sports injuries
- Traumatic injuries • Low back pain
- Painful spasmodic conditions

^{Rx} ACPRO-MR TABLETS

Aceclofenac 100mg +Paracetamol 325 mg+Chlorzoxazone 250 mg

WINNING MOVE FOR PAINLESS MOBILITY

ACECLOFENAC

- ▶ Efficacious and safe NSAIDs with least risk of GI irritation
- ▶ An effective agent in the management of pain and rheumatic diseases

PARACETAMOL

- ▶ Potent selective inhibitor of COX-2 enzymes
- ▶ Does not inhibit the production of pro-clotting thromboxanes¹

CHLORZOXAZONE

- ▶ A muscle relaxant which works by blocking nerve impulses that are sent to brain
- ▶ Used as an adjunctive therapy in post-operative pain

1. FASEB J. 2008 Feb;22(2):383-90. Epub 2007 Sep 20.

The Proven
ANTISPASMODIC
for COLIC PAIN

^{Rx} **SABTAL-SPAS** TABLETS

Mefenamic acid 250 mg + Dicyclomine Hydrochloride 10mg

ACHIEVES BETTER RELIEF THAN MONOTHERAPY

AN ALTERNATIVE SOLUTION TO COLIC PAIN CONDITIONS

Menstrual Pain

Offers unique double blockade dual site
anti-prostaglandin action

Dicyclomine - Antispasmodic, Anticholinergic

- Reduces symptoms of stomach & intestinal cramping
- Works by slowing natural movements of gut
- Relaxes muscles in stomach & intestines

OFFERS

- No Sedation
- No Nausea & Vomiting
- Non-hormonal therapy
- Excellent muscle relaxant
with safety & compliance



In

BILIARY COLIC

INTESTINAL COLIC

URETERIC COLIC

MENSTRUAL PAIN

Addition



**BREAK THE
GRIP OF
SPASMOTIC
PAIN**

Rx

SABTAL-DV TABLETS

Mefenamic Acid 250 mg+Drotaverine Hydrochloride 80 mg

The Trusted Colic Reliever Combination

Drotaverine

Excellent Smooth Muscle Relaxant

- Free from anticholinergic side effects
- Safe in glaucoma & BPH patients

Mefenamic Acid

The Time Tested Analgesic

- Ensures longer relief from pain & Inflammation
- Provides superior pain relief in primary dysmenorrheal

“Drotaverine & Mefenamic acid is effective in women undergoing hysteroscopy and endometrial biopsy”

Indication

Post Surgical Smooth Muscle Spasm

Biliary Colic

Gastrointestinal Colic





Dysmenorrhea

Renal Colic



SAVE
EVERY PRECIOUS
DROP
of Life...

In

-  **MENORRHAGIA**
-  **IUCD INDUCED BLOOD LOSS**
-  **POSTPARTUM HAEMORRHAGE**
-  **DYSFUNCTIONAL UTERINE BLEEDING**

TRANEX-ET TABLETS

Tranexamic acid 250 mg + Etamsylate 250 mg

Save Blood ... Save Life

STOP THE EXCESSIVE BLEEDING

Tranexamic acid 250mg

- 1st line treatment for initial management of idiopathic menorrhagia
- Reduces the amount of blood loss during & after the lower segment cesarean section

Etamsylate 250mg

- Increases strength of capillaries
- Increases platelet adhesion
- Increase fibrin formation

"Combined administration of Etamsylate & TXA in pediatric cardiac surgery was more effective in reducing postoperative blood loss & whole blood transfusion requirements than the administration of TXA alone"¹

1. Annals of Cardiac Anaesthesia, April 2020

Women with low folate or Vit. 12 status are at a greater risk of having an unexplained second trimester pregnancy loss

GRACEFOL TABLETS

L-Methylfolate 1 Mg +Biotin 5mg+ Methylcobalamin 1500 mcg +
Pyridoxal 5- Phosphate 0.5 MG

Best Support to the Motherhood

- ◆ Helps reverse the pathophysiology & symptoms of diabetic peripheral neuropathy
- ◆ Prevents neural tube defects & supports proper development of fetus
- ◆ Helps the fetus to develop nervous system, brain, eyes healthy neurons
- ◆ Promotes ovarian functionality and its smooth functioning
- ◆ Decreases the risk of preterm births, anemia in pregnancy & pre-eclampsia
- ◆ Helps maintain maternal PLP levels thereby promotes production of heme & other vital functions

Indications:

- ◆ Neural tube defects
- ◆ Pre-eclampsia
- ◆ Prenatal and postnatal complications
- ◆ PCOS/Infertility
- ◆ Oxidative stress





When **Gestation Period** and **Baby's Health...?**

ENLOCK- $\frac{200}{300}$ *softgel capsules*

Progesterone (Natural Micronized) 200mg/300mg

For Full Time Gestation & Baby's Health Tomorrow...

Details, Precautions, Contraindications...

Indications:

Amenorrhea

Pre-term Delivery

Threatened Abortion

ADDITION

Indicated in women with a history of PTD (Pre-term delivery) Pluriparous (Producing more than one child at a single birth) women with a previous history of PTD or with a history of threatened abortion.

as well as in nulliparous (never having given birth to a child) women with an actual risk; namely in the presence of a silent cervical shortening.

- ▶ Safe the fetus when administered in the second and third trimesters.
- ▶ Blunts hypertension associated with RUPP (Reduction in uteroplacental perfusion).



CALSAB-XT TABLETS

Calcium Carbonate 1250 Mg+ Vitamin D3 2000 IU+ mecobalamin 1500 Mcg+ L- Methyl Folate 1 Mg + Pyridoxal-5-phosphate 20mg

In Traumatic Injury, Bone Fracture and Osteopenia

- Promotes bone healing & prevents bone loss
- Prevents collagen matrix degradation
- Reduces fracture risk
- Lowers T2DM risk with calcium >500 mg/day
- Prevents HCV-induced bone loss & vascular damage
- Enhances insulin secretion and responsiveness
- Reduces neuropathic symptoms by 35%

Addition

In

Fracture healing

Bone strength

Osteoporosis management

eXTra ordinary Care for Bones & Nerves,

(CALSAB-XT Fortified with 2000 IU Vit D and Bioactive Vit B6,B9, B12)

Oyster shell calcium carbonate

High level of Homocysteine causes Pregnancy Complications

Pre-eclampsia, Neural Tube Defects,
Pre-term Labour,
LBW, Intrauterine Fetal Death,
IUGR, Placental Abruption

Resulting...

MISCARRIAGE AND RECURRENT PREGNANCY LOSS
POOR PREGNANCY OUTCOME



Addition

In
Postmenopausal Osteoporosis

Also available

CALSAB-PLUS SUSPENSION

Each 5 ML Contains:- Calcium Carbonate 625 Mg+ L-Lysine
HCL 50 Mg+ Zinc Sulphate 5 Mg. (and Vitamin D3 125 IU. Suspension

CALSAB -500 TABLETS

Calcium Carbonate 1250mg+ Magnesium-100mg+ +Zinc-4mg+
vitamin D3 400 IU

CALSAB-XT TABLETS

Calcium Carbonate 1250 Mg+ Vitamin D3 2000 IU + mecobalamin
1500 Mcg+ L- Methyl Folate 1 Mg + Pyridoxal-5-phosphate 20mg

In Pre-conception , Pregnancy & Lactation



L-methylfolate



Methylcobalamin

- Helps in the development of brain and nervous system in fetus
- Works with closer association with folate to build DNA & RNA

Pyridoxal 5'-phosphate

- Controls "morning sickness" in early pregnancy
- 5 times more absorbable than pyridoxine

Vitamin D3

- Meets the RDA of calcium requirement by body in various conditions
- Helps to absorb calcium & improves bone health

CALSAB K2-7 Softgel Capsule

*Calcitriol 0.25 mcg+Calcium carbonate 1250 mg+ VitaMIN K27 45 mcg+
Mecobalamin 1500 mcg+ Zinc 7.5 mg+ Magnesium 50 mg+
L- Methyl Folate 800 mcg*

VITAL FOR HEALTHY BONES & NERVES



indications

Arthritis

Osteomalacia

Pregnancy & lactation

Osteoporosis

Old age patients

Addition

Calcium carbonate
• It is a natural mineral
• It is a natural mineral
• It is a natural mineral

Calcitriol
• It is a natural mineral
• It is a natural mineral
• It is a natural mineral

Vitamin K27

- Activates osteocalcin to bind calcium effectively
- Increases the BMD & vertebral bone mass

Methylcobalamin

- Converts homocysteine to Methionine
- Methylcobalamin increases myelin sheath formation & regenerates neurons
- Prevents neuropathic pain and improves neuronal activities

L-methylfolate

- L-Methyl Folate is used in the treatment of nutritional deficiencies.

MAG. & ZN

- Builds healthy bones & reduces the risk of osteoporosis

For Control
Nausea & Vomiting ...



EMEVELL-MD^{TABLETS}

Ondansetron Hydrochloride 4 mg

For a specialized Approach

- Helps improve patient outcomes in pediatric acute Gastroenteritis.
- One of the most widely used drugs for postoperative nausea and vomiting prophylaxis.
- Very useful in the management of acute enterocolitis syndrome.
- Specialized Mechanism of action.
- High Tolerability and Safety Profile.

INDICATIONS

Gastroenteritis

Dyspepsia

Post-operative gastric reflux

PONV

CINV

**When the World
Seems to be
Whirling All Round...**



VERTINET-D *Tablets*

Cinnarizine 20 mg + Domperidone 15 mg

Gives Relief... When it Matters Most

Cinnarizine

- + Most effective anti-vertigo agent
- + Inhibits contractions of vascular smooth muscle cells by blocking calcium channels
- + Increases erythrocyte deformability and decreases blood viscosity ... inhibits stimulation of the vestibular system

Domperidone

- + Rapidly absorbed, with peak plasma concentrations at approximately 1 hour after oral administration
- + Emesis relieved by antagonism of dopamine receptor in CTZ
- + Increases rate of gastric emptying

Indication

- ✓ Motion Sickness
- ✓ Vertigo
- ✓ Tinnitus
- ✓ Dizziness
- ✓ Nausea & vomiting

a persistent
DRY COUGH

Kuff
move people
away
from you



VELLCORILL-D SYRUP

Each 5 ML Contains:-Dextromethorphan HBr 10Mg +
Phenylephrine Hcl 5Mg+ CPM 2 Mg+ Menthol 1.5 Mg

Eases the discomfort **Kuff**
caused by Allergy 

Addition

DEXTROMETHORPHAN

Anti-tussive Cough Suppressant

Relieves cough caused by throat & bronchial irritation

CPM+METHOL

First Generation Antihistamine

Treats symptoms caused by allergies including itchy &
watery eyes, sneezing, runny nose, skin rash & irritations

PHENYLEPHRINE

Nasal Decongestant

Relieves from nasal discomfort caused by cold,
allergies, and hay fever



DRY Kuff

ALLERGIC Kuff

SMOKERS Kuff

NIGHT TIME Kuff

Also available

VELLCORILL-D JUNIOR SUSPENSION

Each 5 ML Contains:-Dextromethorphan HBr 10mg +
Phenylephrine Hcl 5mg + CPM 2 Mg+ Menthol 1.5 Mg

MOST TRUSTED FORMULA FOR
DRY IRRITATING Kuff

SAFE & EFFECTIVE
OPTION IN TREATING
PRODUCTIVE COUGH
AND ASTHMATIC SYMPTOMS

When **Cough** strikes the **Pulmonary Function**

VELLCORILL- LS SYRUP

Each 5 ML Contains:-Ambroxol Hydrochloride 30 mg +Levosalbutamol Sulphate 1 mg & Guaiphenesin 50 mg

Really Works Like Magic

Levosalbutamol

- Offers therapeutic benefits and cost-efficiency for acute and chronic asthma in both adults and children.

Ambroxol

- Enhances antibiotic penetration.
- Reduces pain associated with URTI

Guaifenesin

- Promotes expectoration.
- Helps expel mucus .

**safe and effective for treating productive cough,
bronchospasm, bronchitis, asthma, and conditions with tenacious
mucus, wheezing, and chest congestion.**

Also available

VELLCORILL- LS junior SYRUP

Each 5 ML Contains:-Ambroxol 15mg+
Levosalbutamol 0.5mg+ Guaifenesin 50mg

International Journal of Innovative Research in Medical Science



Caring Relief for Little Smiles



^{Rx} CRONOMOL- MF *Suspension*

Each 5 ML Contains:-Paracetamol 250 Mg + Mefenamic Acid 100

Fever-Free Smiles, Pain-Free Play

Mefenamic acid

- ✓ NSAID with antipyretic & analgesic action
- ✓ Controls colicky and post-vaccination pain in children
- ✓ Reduces inflammation effectively

Paracetamol

- ✓ Safe antipyretic & analgesic
- ✓ Safe & trusted fever reducer for kids
- ✓ Enhances pain relief in mild to moderate conditions
- ✓ Gentle on pediatric stomach

Also available

CRONOMOL-500/650

Paracetamol 500/650 mg Tablets

When
**ALLERGY
OVERPOWER**
the situation



Addition

In

SEASONAL/PERENNIAL ALLERGIC RHINITIS

CHRONIC URTICARIA

MILD TO MODERATE ASTHMA

BILASVELL-M *Tablets*

Bilastine 20 mg+ Montelukast Sodium 10 mg

A NEXT GENERATION NONSEDATING H1 ANTIHISTAMINE

- Rapid onset and prolonged duration of action¹
- Effective in relieving symptoms including obstruction & in eye symptoms associated with allergic rhinoconjunctivitis
- Superior to Cetirizine at limiting the early allergic response
- Superior to other second-generation antihistamine better than other second generation H1-antihistamine
- Better tolerability compared to Desloratadine & Cetirizine
- Extremely safe regarding CNS effects

COMBINATION ADVANTAGE:



Also available

BILASVELL-20 *Tablets*

Bilastine 20 mg

More than **90%** of
healthy indians
are suffering from
vit. d deficiency.



Stabilized
Cholecalciferol

In

- ▶ Vitamin D Deficiency
- ▶ Rickets & Osteomalacia
- ▶ Chronic medical Diseases
- ▶ Bone Fracture

SUPER RISE-D3 Soft Gelatin Capsules

Cholecalciferol 60,000 IU

So Rich in Vitamin D3, Just Like The Second Sun...

Vitamin D3 supplementation reduces C-reactive protein and insulin resistance in women with T2DM.

Vitamin D deficiency is a major contributor to chronic low back pain.

Vitamin D deficiency common in women with heart condition.
(Sudden temporary weakening of the muscle of the heart).

Mothers who took high dosage of **Vitamin D** during pregnancy experienced lower pre-term labor, pre-term birth and infection rates compared with mothers who did not.

Vitamin D deficiency is a predictor of reduced survival in patients with heart failure; Vit. D supplementation improves outcomes.

Also available

SUPER RISE-D3 Drops
Cholecalciferol IP 400 IU

SUPER RISE-D3-NANO SHOT
Cholecalciferol 60,000 IU

Ref : FASEB (Federation of American Societies of Experimental Biology) Journal Vol 24 April 2010 342.1 Ref : SPINE Volume28, Number 2,pp177-179 ©2003,LippincottWilliams&Wilkins,Inc.

Ref : Clinical Endocrinology & Metabolism. March 2013. Ref : 2010 Pediatric Academic Societies Annual Meeting. Ref : Eur J Heart Fail. 2012 Feb 3.

When
Acidity Burns the
STOMACH

Get Relief
with...



PANBI-DSR^{capsules}

Pantoprazole Gastro-resistant 40mg & Domperidone 30mg
Prolonged Release

BLOWING AWAY THE HEART OF ACIDITY...

- Achieved high endoscopic esophageal healing rates, with 72.34% of patients fully cured.
- Comparable healing rates and high symptom improvement with adequate safety in GERD cases, compared to monotherapy.
*For severe symptomatic patients with PPI resistant GERD, nausea, and vomiting**
- A medicine that increases the movements or contractions of the stomach and bowel
- Effective & safe combination with high symptom reduction rates
- Addition of domperidone is helpful by acting on multiple pathophysiological mechanisms of the disease

INDICATIONS

GERD

Heartburn & Indigestion

Hyperacidity

Erosive Esophagitis

Gastritis

Also Available

Panbi 40 Tablets
Pantoprazole 40mg

Panbi D Tablets
Pantoprazole 40 mg+Domperidone
10 mg

**For Instant Control of
Nausea Associated with Acidity !!!**



PANBI-LS Capsules

Pantaprazole 40mg + Levosulpiride 75mg SR

POWER AGAINST Acid PEPTIC DISEASES

Levosulpiride

- A novel prokinetic agent that enhances gastrointestinal motility
- Highly effective and well-tolerated in patients with functional dyspepsia accompanied by delayed gastric emptying

Pantoprazole

- Ensures greater relief in GERD-related symptoms in both day-time and night-time
- Exhibits longer duration of intragastric pH rise than Omeprazole and other PPIs



- Hyperacidity - Peptic Ulcer
- Duodenal ulcer - GERD

“
A Cool Combination
————— *to treat* —————
Burning Condition
”



Also Available

RSAB - 20

Rabeprazole 20 mg tablets

RSAB-D

*Rabeprazole 20 + Domperidone 10 mg
tablets*

RSAB-DSR *Capsules*

Rabeprazole 20 mg + Domperidone 30 mg (SR)

Helps to Recover... From Acidity...

Rabeprazole

- Provides rapid onset of acid suppression compared to other PPIs
- Promotes healing of gastric and duodenal ulcers
- Reduces recurrence of acid-related damage

Domperidone

- Enhances gastrointestinal motility and accelerates gastric emptying
- Relieves symptoms like bloating, fullness, nausea, and vomiting
- Improves coordination between stomach and intestines

Indications

- » GERD
- » NSAID INDUCED ULCERS
- » GASTRIC ULCERS
- » DUODENAL ULCERS
- » FUNCTIONAL DYSPEPSIA

The Reliable
Proton Pump Inhibitor...

RSAB-LS *Capsules*

Rabeprazole Sodium IP 40mg + Levosulpiride 75mg
(In sustained release form)

When gastric distension troubles

Addition



Levosulpiride
is used for the management of patients with
functional dyspepsia, as well as in those with delayed gastric
emptying.

Rabeprazole

- The rapid action proton pump inhibitor.
- Is safe and effective in reducing the symptoms of GERD & produces a profound and long-lasting inhibition of gastric acid secretion.
- Faster and longer acid inhibition than other PPI.

Indications

- » GERD
- » IBS
- » DYSPEPSIA
- » INTESTINAL ULCERS
- » DIABETIC GASTRO-PARESIS
- » DRUG INDUCED HYPERACIDITY



For **Instant Control** on
Nausea Associated with **Acidity...**

^{Rx}
ESOSAB-DSR capsule
Esomeprazole 40 mg + Domperidone 30 mg (SR)

Say No TO Reflux...Yes TO Relief

Esomeprazole (Acid Suppressing Agent)

- Neutralizes gastric acid secretion.
- Exceptionally high resolution of all grades of reflux Esophagitis.
- Superior than racemic Omeprazole for relief of hyper-acidity disorders.
- Provides complete acid suppression.
- Bactericidal action against h.pylori.

Domperidone

- Enhances gastrointestinal motility and accelerates gastric emptying
- Relieves symptoms like bloating, fullness, nausea, and vomiting
- Improves coordination between stomach and intestines

INDICATIONS

- **Hyperacidity**
- **Peptic and Duodenal Ulcer**
- **Dyspepsia**
- **GERD**
- **Reflux Esophagitis**

Also available

ESOSAB-40 TABLET

Esomeprazole 40 mg

**Make Neurons
Strong & Free
From Pain**

PREGASAB-MNT *Tablets*

Pregabalin 75 mg + Methylcobalamin 1500 mcg + Nortryptiline hcl 10 mg

For Strong & Pain Free Neurons

- Produces neuroprotective & neuropromotive effects
- Methylcobalamin increases myelin sheath formation & regenerates neurons
- Prevents allodynia and hyperalgesia
- Prevents neuropathic pain and improves neuronal activities
- Reduces the hyper activated neurotransmitter release
- Effectively relieves neuropathic pain with Pregabalin



Indications:

- Severe Neurological Pain • Diabetic Neuropathy
- Post-herpetic Neuropathy • Post-operative Neuropathy

PREGASAB-M *CAPSULE*

Pregabalin 75 mg+ Methylcobalamin 750 mcg

PREGASAB-NT *TABLET*

Pregabalin 75 mg + Nortryptiline hcl 10 mg

*Also
available*

BALANCED COMPOSITION of 7 HERBAL EXTRACTS with
Essential Vitamins all combined with Benefits of Omega-3 Fatty Acid

OME GOLD Soft Gelatin Capsules

*Omega 3 fatty acids+Green tea Extract +Ginseng +Ginkgo biloba +Flax seed extract
+ Mutivitamin + Multimineral+ Antioxidant with Selenium*

A Revolutionary Approach in Health & Wellness

Addition

IMMUNE
Cold & Flu, Autoimmune, HIV, Herpes,
Cancer, Crohn's, Ulcerative Colitis,
Hepatitis, EBV, MRSA, Lyme Disease



CARDIOVASCULAR
Heart attack, Stroke, High Blood
Pressure, Angia, Atherosclerosis




MULTI ORGAN
Diabetes, Aging, Chronic Fatigue,
Fibromyalgia, Aches & Pain, Heavy
Mental Toxicity, Lyme Disease



SKIN
Wrinkles, Acne, Skin Aging,
Eczema, Cancer, Psoriasis



BRAIN
Alzheimer's, Parkinson's, Autism,
OCD, ADD, ADHD, Migraine,
Insomnia, Lack of Mental Clarity,
Depression, Bipolar, Dementia



LUNGS
Asthma, Allergies, COPD,
Cancer, Chronic Bronchitis



JOINTS
Rheumatoid Arthritis,
Osteoarthritis



EYES
Macular and Retinal
Degeneration, Cataracts



**A Complete
Nutritional Supplement
for Blissful Health**



ALSO AVAILABLE:

MV-BION Syrup

Each 10 ML Contains:-Anti-Oxidant +MultiVitamins
+ Multi Mineral

MV-BION *Tablets*

*Multivitamin + Multimineral with Grape seed Extract
(Health Supplement)*

Fulfills Void of Health for Evergreen Life

- ▶ It also supports immune function, helping children to stay healthy and protected from infections
- ▶ It helps boost energy levels, enhance cognitive function, and supports overall growth and development in children.
It plays a key role in maintaining immune health and hormonal balance, which is particularly beneficial for women during all stages of life,
- ▶ It supports cardiovascular health, thyroid function, and immune health, all of which are crucial for aging adults.

In...

Fatigue and weakness

Convalescence

Stress

Nutritional supplement



Triple Action
for Appetite,
Liver & Digestion!



CYPOVELL^{Syrup}

(Each 5 ML Contains:-Cyproheptadine HCl 2 mg +Tricholine Citrate 275 mg + Sorbitol (70%) 3.575 gm)

Triple Benefit – Hepatoprotective, Appetite Booster, Mild Laxative.

Cyproheptadine HCl 2 mg

- Stimulates appetite and helps in healthy weight gain
- Relieves allergic symptoms like sneezing and itching

Tricholine Citrate 275 mg

- Supports liver detoxification and bile secretion
- Helps reduce fat accumulation in the liver

Sorbitol (70%) 3.575 gm

- Acts as a mild laxative to relieve constipation
- Enhances digestion and improves bowel movement

In

*Appetite loss & weight gain
Liver dysfunction & fatty liver
Indigestion, gas & constipation*

**FOR Targeted
ACTION IN CHRONIC
INFLAMMATORY
CONDITION**

SABCORT-⁶/₁₂ Tablets

Deflazacort 6 /12mg

Versatile steroid with comfort of coverage

- Anti-inflammatory effects work by preventing or reducing inflammation.
- Improves pulmonary function and provides clinical improvements in asthma
- Reduces the inflammation of joint in arthritis
- Possesses analgesic and sedating properties when compared to prednisolone
- Improves cardiac function, prolongs walking and eliminates the need for spinal surgery in muscular dystrophy
- Deflazacort more effective in maintaining remission than prednisone in children with nephrotic syndrome that frequently relapsed
- Improve strength & function with minimum side effects compared to prednisolone.

INDICATIONS

- ASTHMA & AIR way Disease
- NEPHROTIC SYNDROME
- DERMATOLOGICAL CONDITION
- LEUKAEMIA
- JUVENILE CHRONIC ARTHRITIS
- HEPATIC IMPAIRMENT
- RHEUMATOID ARTHRITIS

Addition



" Anales de pediatria (Barcelona, Spain: 2003). 2004 Sep; 61(3): 207-12 " Calcified Tissue international, 41(6), 316-320 "Pediatric neurology. 2008 Mar;38(3): 200-6
 "Cochrane Rec Abstract, 2007 " Neurology 2003,3:7

Before
Allergic Symptoms
WORSEN



Also available

MONTIV-LC KID *Tablets*
Each 5 ML Contains:-Levocetirizine Hydrochloride
IP 2.5 mg + Montelukast 4 mg

MONTIV-LC KID *Suspension*
Montelukast 4 mg+ Levocetirizine 2.5 mg

MONTIV-LC *Tablets*

Montelukast 10 mg + Levocetirizine 5 mg

The powerful manager in conventional allergies

Addition

- Levocetirizine Hydrochloride is a selective H₁ Receptor antagonist. It relieves nasal congestion and airway obstruction.
- Montelukast is a Leukotriene Antagonist.
- It affects the pathophysiology of asthma.

Montelukast

- Selective, long acting peripheral H₁ receptor antagonist
- Relieves from distressing symptoms
- Potent & safe antihistaminic agent

Controls both early & late phase reaction of allergy rhinitis

Reduces daytime, night time, composite & daytime eye symptoms score more effectively



Allergic asthma conditions

Seasonal allergic Rhinitis

Perennial Allergic Rhinitis

Chronic idiopathic urticaria

*Keep Allergy & its
Complication away*

ITRASAB ¹⁰⁰/₂₀₀ capsule

Itraconazole 100/200 mg capsule

Superior Coverage, Better Efficacy

- ☞ Allergic bronchopulmonary aspergillosis (ABPA) is an allergic reaction in patients with asthma and cystic fibrosis.
- ☞ Long-term itraconazole at 400mg daily proved crucial in controlling symptoms and minimizing corticosteroid use.
- ☞ Itraconazole is the preferred treatment for mild-to-moderate blastomycosis, mainly affecting the lungs.
- ☞ FDA-approved for fingernail onychomycosis and toenail infections.
- ☞ Itraconazole effectively targets *Candida parapsilosis* biofilms, helping treat resistant nail infections.

In... Fungal Infections

Aspergillosis

Candidiasis

Blastomycosis

Onychomycosis

The Powerful Antifungal Medication for **fungal Infection**

Also available

ITRASAB -PLUS Ointment

Itraconazole 1.00% + Ofloxacin + Ornidazole + Globetasol Propionate + Methylparaben (Preservative) + Propylparaben (Preservative) Cream base

Cureus. 2024 Oct

J Fungi (Basel). 2023 Jan

Indian Journal of Dermatology, Venereology and Leprology

Arch Dermatol Res. 2024 Sep

When suppression of
Gastric Acid secretion
is **Required...**



Also available
RANIVELL SYRUP
Each 5 ML Contains:-Ranitidine HCL 75 MG

RANIVELL-D SYRUP

Ranitidine 150 mg + Domperidone 10 mg

...Total Relief from **Reflux Disorders**

Ranitidine Hcl.

- Superior to most other antiulcer agents in the treatment & prevention of a variety of GI disorders associated with gastric acid secretion.¹
- Provides prompt relief of heartburn lasting up to 12 hours.
- Drug of choice in the treatment of the ZES.²
- Markedly reduces the heartburn symptoms of reflux disease and significantly improves the endoscopic appearance of the esophageal mucosa.³

Domperidone

- Improves GI motility.
- More effective than cisapride.⁴
- Offers consistent acid suppression even during night time.

Indications

GERD
Duodenal Ulcer
Gastric ulcer
Erosive Esophagitis
ZES

1. Drugs 1989 Jun;37(6):801-70

2. Pharmacotherapy Jul-Aug 1983;3(4):185-92

3. Arch Intern Med 1987;147:1485-1491

4. Ail. Pharamcol Ther 2002 May; 16(5): 951-7

Tough
Treatment for...
Bacterial Infections

CEVIX-0

CEFIXIME 200MG + OFLOXACIN 200MG

TABLETS

OFFERING EXCELLENT POWER WITH ASSURED SAFETY

Cefixime

- Powerful 3rd generation broad spectrum antibiotic.
- Faster bactericidal action, faster resolution of symptoms.

Ofloxacin

- Excellent clinical cure.
- Superior tissue penetration.
- Achieves high concentration in gall bladder and bile.
- Excellent Broad spectrum anti-microbiol activity effective an oral administration

In

- Typhoid fever

- Surgical Infections

- RTI's and UTI's

- G.I. tract infections

TO **BREAK**
THE GRIP OF
SPASM & PAIN




PAIN ASSOCIATED WITH GI COLIC

BILIARY COLIC

POST SURGICAL SPASMS

DYSMENORRHEA



R_x ACPRO-DV TABLETS

Aceclofenac 100 mg + Drotaverine 80 mg

An Effective Therapeutic Strategy for Pain Relief

Drotaverine HCL

- A well established directly acting, smooth muscle anti-spasmodic
- Provides quick & effective pain relief by inhibiting enzyme phosphodiesterase IV
- No anticholinergic side effects unlike other available spasmolytics like dicyclomine¹


Aceclofenac

- A novel, long acting, well tolerated NSAID with lower incidence of side effects & established safety profile
- Provides sustained pain relief by blocking COX II enzyme
- An ideal NSAID for combining with fast acting Drotaverine, for effective pain relief from post-operative procedures 2

**A Promising Approach to
Relieve Pain associated with Spasm & Inflammation**

COMPLETE THE BODY'S DIET.

LCONINE CAPSULE



Lycopene 10% dispersion usp 2500mcg, Methylcobalamin 1500mcg, Vitamin A Acetate 200 iu, Vitamin E Acetate 7.5 iu, Green Tea Extract 10 mg, Folic Acid 1.5 mg, Vitamin B6 3mg, Chromium Picolinate 30mcg, Zinc Sulphate Mononitrate 12mg, Vitamin B1 1mg, Vitamin B2 1mg, Iodine 50mcg, Copper 20mcg, Selenium 30mcg, Magnesium 10mg, Vitamin C (coated) 10 mg, calcium 200mg, Potassium 5mg, Niacinamide 15 mg

BRING BACK YOUR ZEAL IN LIFE.

Addition

- Boosts bone mineral density
- Reduces oxidative stress
- Slows the progression of atherosclerosis
- Stimulates the proliferation of osteoblast cells
- Provides antioxidant protection in diabetes
- Exhibits positive effect on growth, energy & appetite
- Promotes bone mineral density
- Reduces high homocysteine levels
- Reverses degenerative diseases

Also available

LCONINE syrup


(Each 10 ML Contains:-Lycopene (10%) 2000mcg + Niacinamide 25mg + Folic Acid 100mcg + Selenium (eq. to Sodium selenate) 35mcg + Zinc (eq. to Zinc Gluconate) 3mg + Iodine (eq. to Potassium Iodide) 100mcg + Copper (eq. to Cupric sulphate) 500 mcg + Vitamin B12 1mcg + Vitamin B6 1.5mg)



- ▶▶ General Debility
- ▶▶ Oxidative Stress
- ▶▶ Diabetes
- ▶▶ Coronary Heart Diseases
- ▶▶ SSTI
- ▶▶ Macular Degenerative Diseases

One in four deaths
in children under
the age of 5 yrs
is due to

DIARRHEA



Childhood Diarrhea Treatment Demands Efficacy and Compliance **Trust**

COLEFILO

oral suspension

5 mg to 15 mg in sulphate 12.5 mg

Effective Results

Bactericidal activity against most
pathogens, E.coli, shigella and salmonella


Works by solubilizing the bacterial cell
membrane resulting in bactericidal effects

Available in palatable flavor resulting in better compliance

➤ **Indication:** Diarrhea

Dosage : The recommended dose for infants and
children is 5 mg to 15mg/kg of body weight daily
in 3 divided dose or as directed by the physician





VELLZOLID-600 Tablets

Linezolid-600 MG

New Age Antibiotic for New Age Challenges

Safety

Safe & effective treatment for adult liver transplant patient with gram positive infections¹

Safe & effective treatment for treatment of patients with vancomycin resistant enterococcal infections²

Cure Rates

89% clinical success rate in patients with complicated & uncomplicated SSTI

98% cure rates with community acquired pneumonia²

In.

- CAP
- Nosocomial pneumonia
- SSTI
- Vancomycin resistant enterococcus infections
- Febrile neutropenia septicemia
- Surgical prophylaxis



^{Rx} MPSIL- $\frac{4}{8}$

Methylprednisolone IP 4/8 Mg

Tablets

*Top
Anti-inflammatory
Action For
Top Class Relief*



Makes Difficult task Simple

- More potent in inhibiting inflammatory cells ¹
- Reverses adrenal pituitary suppression with short term use ²
- Achieves greater concentration in lungs
- Reduces the incidence & severity of cartilage erosion
- Prompt control of symptoms ³
- Reduces relapses during a 2-mth period after first episodes of wheezing associated with rhinovirus infection or blood eosinophils $> \text{ or } = 0.2 \times 10^6/\text{L}$. ⁴

In.

Asthma

Auto immune hepatitis

Rheumatoid arthritis

Ulcerative colitis

Multiple sclerosis

Crohn's disease

Raise the Level of

comfort from Bothering

Cough with...



VELLCORILL-ATG

Each 5 ml contains Ambroxol Hydrochloride 15 mg +Terbutaline 1.25 mg
& Guaiphenesin 50 mg + menthol 2.5 mg **SYRUP**

Breathe easy with... VELLCORILL-ATG

Terbutaline Sulphate

- Antitussive effect and bronchodilator improves peak expiratory flow rates and dilates the airways.

Ambroxol HCl

- Surfactant stimulatory, anti-inflammatory and antioxidant shows mucokinetic effects and increases the clearance of mucus in small airways.

Guaiphenesin

- Expectorant and mucolytic improves mucociliary clearance and relieves chest congestion associated with acute upper Respiratory tract infection.

Menthol

- Anti-tussive, reduces cough reflex sensitivity.



Bronchitis

Bronchial Asthma Emphysema

Other Bronchopulmonary Disorders

Enable Complete Elimination of
COUGH & COLD with...



Indications

Asthma
Bronchitis
Seasonal allergic rhinitis
Perennial allergic rhinitis
Respiratory tract infections

FLUVELL-P

Each 5 ML Contains:-Paracetamol 250mg + Phenylephrine HCl 5mg +CPM 2mg

SUSPENSION

Achieves Complete Resolution of **FLU** Symptoms

Phenylephrine hydrochloride

- Relieves nasal congestion
- More effective pseudoephedrine as it does not cause side effects like CNS stimulation, Insomnia, anxiety, irritability & restlessness

Paracetamol

- Rapidly absorbed from the GIT
- Reduces pain & fever

Chlorpheniramine maleate


- Treats symptoms of allergies & common cold
- Does not sedate much relative to other first-generation anti-histamines

Also available

FLUVELL

Phenylephrine HCl 5mg +CPM 2mg Syrup

Sets Breathing on a Path free of Obstruction



MONTIV-FX TABLETS

Montelukast Sodium 10mg + Fexofenadine 120mg

Power Against Allergic Disturbance

Fexofenadine - TIME TESTED ANTIHISTAMINE

- Control nasal congestion in treatment of Allergic Rhinitis.
- Free of sedative effects associated with 1st generation antihistamines.

Montelukast - TIME TESTED ANTI-ALLERGIC

- Well tolerated with favorable safety profile.
- Reduces swelling, congestion and broncho-constriction.

Indication


Seasonal Allergic Rhinitis

Chronic Idiopathic Urticaria

Perennial Allergic Rhinitis

Rhinitis Associated with Asthma

In Neuropathy...
Regenerate Neurons & Myelin Sheath



MECOSAB-FORTE *Softgel cap*

Methylcobalamin 1500 mcg+Alpha Lipoic acid 100 mg+ Benfotiamine 15 mg+ pyridoxine Hcl 3 mg+Calcium Pantothenate 25 mg+ Folic Acid 1.5 mg+ Zinc oxide 22.5 mg, Chromium Picolinate 65 mcg+ Inositol 10 mcg, Lutein 5 mg

HEAL THE NEURO PAIN...

Methylcobalamin, Folic acid

- ❖ Balances nerve metabolism and maintains myelin sheaths

Benfotiamine

- ❖ Reduces nerve pain and inflammation by increasing the process of nerve repair

Alpha Lipoic acid

- ❖ Reverses peripheral diabetic neuropathy through its antioxidant properties

Inositol

- ❖ Promotes nerve regeneration, repairs damaged nerves & reduces neuropathic pain

Chromium

- ❖ Reverses manifestations of nerve conduction abnormalities & hyperglycemia

ADDITION

Indication

Pain

Cramping

Tingling

Numbness

Inhibit the Allergen-induced
**Early Asthmatic
Response With**

MONTIV-DL

Montelukast 10 mg + Desloratadine 5 mg

TABLET

Possesses Synergistic Action in Treating Allergy Induced Asthma

Addition



- Allergic rhinitis & prevents allergen induced asthmatic response¹
- Once daily dosing increases patient compliance & is safe in children
- Effectively relieves from nasal congestion²
- Provides additional control of symptoms in exercise-induced asthma³
- Reduces the frequency of post-bronchiolytic wheezing without causing any side effects⁴
- Reduces the number of hives compared with placebo in patients with chronic idiopathic urticaria

Indications:

- ◆ Seasonal allergic rhinitis
- ◆ Chronic idiopathic urticaria
- ◆ Asthma
- ◆ Nasal congestion

1. Eur Respir J. 2009 Jun;33(6):1302-8.

2. Allergy. 2001;56 Suppl 65:14-20.

3. Ann Pharmacother. 1999 Dec;33(12):1299-314.

4. Pediatr Allergy Immunol. 2014 Mar;25(2):143-50.)

SABRON-XT *Tablet*

Ferrous Ascorbate 100 mg + Folic Acid 1.5 mg + Zinc 22.5 mg

Complete Nutritional Boost for Iron-Strong Health

Ferrous Ascorbate


- Provides easily absorbable iron to treat and prevent iron-deficiency anemia.
- Improves iron absorption and reduces gastric irritation.

Folic Acid

- Helps in red blood cell formation and DNA synthesis.
- Prevents folate deficiency, especially important in pregnancy.

Zinc

- Boosts appetite and promotes healthy growth in children.
- Supports protein synthesis and tissue repair.



Also available

SABRON-XT *Syrup*

Each 5 ml Contains: Ferrous Ascorbate (eq. to Elemental Iron) IP 20 mg + Folic Acid IP 1mg + Cyanocobalamin (Vitamin B12) IP 5 mcg + Lysine Hydrochloride USP 70 mg

SABRON-FE *Syrup*

Each 15 ml contains: Vitamin B12 Suspension, Ferric Ammonium Citrate 160 mg, eqv to elemental Iron 32.8 mg, folic acid 1mg, Vitamin B12 7.5 mcg



- ▶ *Iron & vitamin deficiency anemia*
- ▶ *Poor appetite and growth in children*
- ▶ *Nutritional support during pregnancy and lactation*
- ▶ *General fatigue and weakness*